

***Response to Arguments***

The amendment to the claims filed on 02/01/2010 has not been entered as it raises new issues and requires further search and consideration for each nozzle having a separate coloring agent.

In response to applicant's arguments against the references individually for rejection of claim 9, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TABASSOM TADAYYON ESLAMI whose telephone number is (571)270-1885. The examiner can normally be reached on 7:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Cleveland can be reached on 571-272-1418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1792

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tabassom T. Tadayyon-Eslami  
Examiner  
Art Unit 1792

/Tabassom T. Tadayyon-Eslami/  
Examiner, Art Unit 1792

/Michael Cleveland/

Supervisory Patent Examiner, Art Unit 1792